

1997

Drug Use in Food Animals

Clell V. Bagley

Follow this and additional works at: http://digitalcommons.usu.edu/extension_histall

 Part of the [Agriculture Commons](#), and the [Animal Sciences Commons](#)

Warning: The information in this series may be obsolete. It is presented here for historical purposes only. For the most up to date information please visit [The Utah State University Cooperative Extension Office](#)

Recommended Citation

Bagley, Clell V., "Drug Use in Food Animals" (1997). *All Archived Publications*. Paper 126.
http://digitalcommons.usu.edu/extension_histall/126

This Article is brought to you for free and open access by the Archived USU Extension Publications at DigitalCommons@USU. It has been accepted for inclusion in All Archived Publications by an authorized administrator of DigitalCommons@USU. For more information, please contact dylan.burns@usu.edu.





**Animal Health
Fact Sheet**



DRUG USE IN FOOD ANIMALS

Clell V. Bagley, DVM, Extension Veterinarian
Utah State University, Logan UT 84322-5600

July 1997

AH/General/02

Producers should be aware that there are four ways to legally obtain and use antibiotics and other drugs in food animals. The first, and most common source, is over the counter (OTC) drugs, labeled for specific uses. In using these products the producer is limited strictly to the dosage, routes, animal and disease condition listed on the label. He cannot legally use it in any other way. These same guidelines must be applied to OTC feed additive medications as well and they must be used strictly in accord with label directions.

The second method of obtaining drugs is as an "Extra Label Use Drug." Your veterinarian must be involved with this process and know your animals and situation and prepare a specific label to direct you in the use of the drug, including a withdrawal time. This use only applies when other approved (labeled) drugs are not available for the diagnosed condition or where they are found ineffective.

The third route for obtaining drugs is on a prescription basis from your veterinarian. These drugs are approved for use in the class of animal being treated, but your veterinarian must give you further directions and instructions on the specific use of the product.

The fourth route is a new category recently established by Congress and is called the Veterinary Feed Directive (VFD) for medicated feeds. The veterinarian determines that the use of a VFD medicated feed is necessary and issues the VFD form. The producer presents the form to their feed supplier, who then manufactures and distributes the medicated feed in accordance with the VFD. The VFD is similar in some ways to a prescription but allows producers to obtain VFD medicated feeds through normal feed supply channels without involving a pharmacist.

An excellent reference resource is available to both veterinarians and producers and is called the Food Animal Residue Avoidance Databank (FARAD). The FARAD expert-mediated assistance is available by calling 1-888-873-2723 (1-888-US-FARAD).

Printed publications have been available and now an electronic CD-ROM disk is available from this same source, which lists the drugs approved for food animals.

A number of commercial kits are now available for use in testing of milk or urine for drug residues. Some of these can be used on the farm to determine the status of an individual animal that has been treated to be sure the food animal or product is free of any residues prior to marketing. Some are screening tests and will detect a broad range of drugs, while others are very specific and would only detect one or a few drugs. The sensitivity of the tests also varies. Producers using these tests must understand the specific limitations of each test product and use it accordingly. Otherwise, the producer may test an animal at the farm and determine that all

residues have disappeared only to later have the milk or carcass condemned at the processor or packing plant.

The term withdrawal is used to refer to milk and the time from last drug use in the lactating dairy cow until marketing of the milk from that individual cow.

The term withholding is associated with drug use in relation to animals marketed for slaughter and meat use. The withdrawal (milk) or withholding (meat) periods are established, based on the half life of the drug in a specific class of animal. A half-life is the time required to reduce by one-half the residues of the drug present. In 10 half-life periods, 99.9% of the drug residue will have been eliminated from the animal. If the half life of a particular drug is 3 hours, almost all of the drug will have been eliminated by 30 hours after administration. If the half-life is 3 days, then it will take 30 days for a similar reduction.

If the half-life itself is extended, because the illness being treated slows down the normal body processes, then the retention time of drug residues could be greatly extended. For instance, if the length of half-life were doubled in the examples listed above, the time required for withdrawal or withholding would be extended from 30 to 60 hours and from 30 to 60 days.

When using any drugs in food producing animals, follow these precautionary management steps to avoid residues:

1. Establish a quality assurance program related to the food animals you produce.
2. Use only FDA approved products.
3. Store and administer all drugs properly.
4. Identify treated animals.
5. Keep adequate records of treatment.
6. Observe label withdrawal times and recognize that a severely ill animal may require an extended withdrawal period.
7. Test for residues if there is any question.
8. Educate employees on drug administration practices and the importance of preventing drug residues.

Utah State University Extension is an affirmative action/equal employment opportunity employer and educational organization. We offer our programs to persons regardless of race, color, national origin, sex, religion, age or disability.
Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Robert L. Gilliland, Vice-President and Director, Cooperative Extension Service, Utah State University, Logan, Utah. (EP/DF/07-97)