

Utah State University

DigitalCommons@USU

---

Ca

Bee Lab

---

1-1-1904

## Taxonomy Cockerell – Epeolus remigatus var. martini

T. D. A. Cockerell

Follow this and additional works at: [https://digitalcommons.usu.edu/bee\\_lab\\_ca](https://digitalcommons.usu.edu/bee_lab_ca)



Part of the [Entomology Commons](#)

---

### Recommended Citation

Cockerell, T. D. A., "Taxonomy Cockerell – Epeolus remigatus var. martini" (1904). *Ca*. Paper 352.  
[https://digitalcommons.usu.edu/bee\\_lab\\_ca/352](https://digitalcommons.usu.edu/bee_lab_ca/352)

This Article is brought to you for free and open access by the Bee Lab at DigitalCommons@USU. It has been accepted for inclusion in Ca by an authorized administrator of DigitalCommons@USU. For more information, please contact [digitalcommons@usu.edu](mailto:digitalcommons@usu.edu).



*Exomalopsis mellipes*, Cresson.

San Rafael, State of Vera Cruz, Mexico, at flowers of plant no. 31 (*Cordia* sp., probably *C. ferruginea*), middle of July (*C. H. T. Townsend*).

*Epeolus Martini* (Ckll.).

*Epeolus remigatus*, var. *Martini*, Ckll. *Canad. Entom.* xxxii. p. 362 (1900).

In the collection of the Colorado Agricultural Experiment Station are specimens taken in Colorado; and after studying them, I feel satisfied that they represent a valid species.

*Xenoglossodes imitatrix*, Ckll. & Porter.

Glorieta, New Mexico, Aug. 16, 1903, 1 ♀ (*W. P. Cockerell*).

The specimen has a red stripe on the mandibles.

*Diadasia rinconis*, Ckll.

Pecos, New Mexico, Aug. 4, 1903, 1 ♀ at flowers of *Opuntia arborescens*.

*Lithurgopsis apicalis* (Cresson).

Pecos, N. M., Aug. 4, 1903, 1 ♂ at flowers of *Opuntia arborescens*.

The first recurrent nervure enters the second submarginal cell at its extreme basal corner; in some specimens of this species it enters some little distance from the base.

*Euglossa cordata* (L.), var. *Townsendi*, nov.

Hair of vertex and dorsum of thorax nearly all black; a band of black hairs (conspicuous in lateral view) from eye to eye in front of ocelli; hair of occiput and cheeks white, with a slight yellowish tint; wings strongly dusky. Disk of clypeus in male brilliant purple.

*Hab.* Vicinity of San Rafael, State of Vera Cruz, Mexico, ♂, March 12, "in nest"; females with the same data (*C. H. T. Townsend*).

Perhaps a distinct species.

*Anthophora euops*, Ckll.

Prospect Lake, Colorado Springs, Colo., at flowers of *Aragallus Lamberti*, May 22, 1 ♂ (*T. & W. Ckll.*).

In fresh specimens the mesothorax is densely covered with greyish-white hair, strongly mixed with black.

*Sy*  
♀.—M  
parts of  
ashy); s  
and that  
dark apic  
last vent  
whitish.

*Hab.* 1  
*Aragallus*

*Synha*  
♂.—A  
except th  
therefore  
averaging  
*Hab.* 1  
flowers of  
also three  
Organ M  
Easily  
the middl  
crenulation

Cheyen  
1904, 2  
New to  
the type.  
there is  
abdominal

Colorad  
acum, 1

*Heriades*  
? *Trypetes*  
p. 171.

Females  
*Convolut*  
July 15 (