

Clothing and TEXTILES

UTAH STATE UNIVERSITY COOPERATIVE EXTENSION PROGRAMMING

Sewing Technique: Blind Machine Hem

A hem is defined as a finishing technique for a garment (pants, skirts, etc). Three basic forms of hems can be used in the process of constructing garments: turned-up edge, faced edge, and enclosed edge. The most common technique used is the turned-up edge hem. After the hem is constructed, the following criteria should be met: 1) the garment should hang on the body in a uniform and even manner; 2) the hem should be free of bulk, and 3) the hem should be concealed from the eye unless used for decorative purposes. The following tutorial outlines the steps associated with constructing a blind machine hem sample that can be used as a guide for integrating this technique into a garment.




1. Cut a piece of fabric to a finished size of 4"x6". Using a seam gauge to check for accuracy, fold the fabric edge 1/4", press. This step provides a finished edge to the fabric end.

2. Sew a straight stitch along the pressed edge at 1/8". Make sure to secure the stitch with a backstitch at the beginning and end of the seam.




3. Fold fabric to create a 1" fold. Press. Use a seam gauge to ensure accuracy.



4. Fold fabric to seam and press. See images below. The fold should be at the 1" mark measured in previous step.



5. Select the blind stitch hem setting on the sewing machine. Position fabric so the needle begins on the left side of the fold first.





UtahStateUniversity
COOPERATIVE EXTENSION

Utah State is an affirmative action / equal opportunity institution.



CLOTHING
CONSTRUCTION

6. When finished with the seam, the stitch should catch the left of the fold just slightly. See image to the right.



7. Press the hem right side out. There should be small stitches about 1" apart throughout the entire seam.

Note: This tutorial correlates with the following Utah Clothing and Textiles 1 State Standards and Objective(s):

Standard:

6. Students will demonstrate basic construction techniques.

Objective:

6. Students will be able to construct a machine-stitched hem.

Sources:

Readers Digest Editor. (2002). *New Complete Guide to Sewing*. Pleasantville, NY: Readers Digest Association Inc.

Brackelsberg, Phyllis, & Marshall, Ruth. (1990). *Unit Method of Clothing Construction*, 7th ed. Long Grove, IL: Waveland Press Inc.

Cole, Julie, & Czachor, Sharon. (2009). *Professional sewing techniques for designers*. New York, Fairchild Publications, Inc.

Authors:

Shanna Haws, USU Extension Intern

Lindsey Shirley, PhD, Clothing and Textiles Specialist



Utah State is an affirmative action / equal opportunity institution.



CLOTHING
CONSTRUCTION

Utah State University is committed to providing an environment free from harassment and other forms of illegal discrimination based on race, color, religion, sex, national origin, age (40 and older), disability, and veteran's status. USU's policy also prohibits discrimination on the basis of sexual orientation in employment and academic related practices and decision.

Utah State University employees and students cannot, because of race, color, religion, sex, national origin, age, disability, or veteran's status, refuse to hire; discharge; promote; demote; terminate; discriminate in compensation; or discriminate regarding terms, privileges, or conditions of employment, against any person otherwise qualified. Employees and students also cannot discriminate in the classroom, residence halls, or in on/off campus, USU-sponsored events and activities.

This publication is issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Noelle E. Cockett, Vice President for Extension and Agriculture, Utah State University.(FC/Clothing&Textiles/2012-11pr)