



# Calculating Fertilizer for Small Areas

*Tiffany Maughan, Grant Cardon, and Dan Drost*

## Introduction

Soil nutrients in the home landscape and garden may become depleted over time. Replacing these nutrients with fertilizers is often necessary. For some nutrients (phosphorus or potassium), a single yearly application is sufficient while with other nutrients (nitrogen) more frequent applications are warranted. Knowing exactly how much fertilizer to apply in your garden plot can be challenging as fertilizer recommendations are typically given for large areas (i.e., pounds per acre or per 1000 square feet). Gardeners and urban farmers often must convert these recommendations to much smaller areas, sometimes just a few square feet or even for a single container or pot. Guessing at amounts to apply often results in over or under fertilizing. Over fertilizing can lead to ground water contamination, negatively impact plant growth, and wastes money. Under fertilization results in decreased plant health and reduced yields. This fact sheet is meant to help gardeners convert fertilizer recommendations to fit their individual garden plot size.

## Four Steps for Successful Fertilizer Application

1. **Soil test.** Start with having a soil test done on the area you will be growing in. This is particularly important when cultivating a new location, but should also be done once every few years in an established garden or if you are noticing decreased productivity. Utah State University Analytical Labs is open to the public and offers a wide variety of soil tests. Visit <http://usual.usu.edu/> for a complete list of tests offered, pricing information and directions for collecting a soil sample. Once you get your soil test results, correct interpretation is important. If you are having difficulty interpreting your results, the fact sheet [Understanding Your Soil Test Report](#) provides a helpful explanation.

Table 1 shows a sample soil test report for the most basic test offered from the USU Analytical Lab, reporting soil texture, pH, salinity, phosphorous, and potassium. Soil nitrogen is not reported but a general recommendation is still given.

2. **Deciding how much to apply.** You will need to know the square footage of the area to be fertilized. Table 2 shows various formulas that can be used to calculate the square footage of your garden.

Once you know your garden's square footage and have the fertilizer recommendations from your soil test, calculate the number of pounds of each nutrient needed using the following equation.

$$\text{Pounds recommended per 1000 sq ft} \times \frac{\text{Square Footage}}{1000 \text{ sq ft}} = \text{Pounds to apply in garden}$$

Based on your soil test results, determine which nutrients you need to apply. Usually, in vegetable gardens and lawns, nitrogen needs to be applied every year. If you do not have a soil test, a general recommendation for a vegetable garden is to apply 2 to 4 pounds of nitrogen per 1000 square feet.

3. **Deciding which fertilizer to apply.** There are many different fertilizer options that provide nutrients to the soil. All the different choices can be very overwhelming and leave homeowners confused about what they should actually apply. There are two main groups of fertilizers: organic and inorganic (sometimes referred to as chemical) fertilizers. Both types, if properly used, are a good option for homeowners. The fact sheets, [Selecting and Using Organic Fertilizers](#) and [Selecting and Using Inorganic Fertilizers](#) provide useful information on both types of fertilizer as well as lists of fertilizer nutrient content in each type.

Example: 10 by 20 foot garden and 2 pounds per 1000 square feet nitrogen recommendation

$$10 \times 20 = 200 \text{ square feet}$$

$$2 \text{ lbs N} \times (200 \text{ sq ft}/1000) = 0.4 \text{ pounds nitrogen applied over total garden area}$$



All fertilizers sold commercially must be labeled with a standardized label. The label will have 3 numbers, separated by dashes, indicating the percentage of three major nutrients: nitrogen (N), phosphate ( $P_2O_5$ ), and potash ( $K_2O$ ). As an example, a common starter fertilizer is 20-27-5. That means it contains 20% nitrogen, 27% phosphate, and 5% potash. To calculate how many pounds of each nutrient in your fertilizer bag, multiply the weight of the bag by the percentage of each nutrient.

Example: 5 pound bag of 20-27-5 fertilizer

$$\text{Nitrogen: } 5 \text{ lbs fertilizer} \times 20\% (0.20) = 1 \text{ pound N}$$

$$\text{Phosphate: } 5 \text{ lbs fertilizer} \times 27\% (0.27) = 1.35 \text{ pounds Phosphate}$$

$$\text{Potash: } 5 \text{ lbs fertilizer} \times 5\% (0.05) = 0.25 \text{ pound Potash}$$

Other nutrients, such as zinc, magnesium, iron or copper can also be purchased in a fertilizer but will be specified elsewhere on the label. Table 3 lists single nutrient fertilizers.

From our example above, the garden requires 0.4 lbs of nitrogen. If you are using the 20-27-5 fertilizer sources, you would apply 2 lbs ( $0.4 \text{ lbs. N} / 0.20 (20\% \text{ N}) = 2$ ) of that fertilizer over the 200 sq. ft. garden. Since the soil test (Table 1) indicated low P and high K applying a 20-27-5 fertilizer is an acceptable option. However, one without any K would be better.

When choosing a fertilizer material, application of only those nutrients needed (as dictated by soil test results) is advised to protect against unnecessary accumulation of excess nutrients in the soil. Excess amounts of P and K are not toxic to plants, but can have secondary

environmental effects on surface water quality (e.g., P in runoff) and soil and water salinity (e.g., high K accumulation). Over-application of N is a serious issue that can have a detrimental effect on plant growth, and also presents potential undesirable environmental effects such as nitrate contamination of ground water.

Additionally, N in surface water contributes to algal blooms that deplete oxygen for fish and other aquatic organisms. Furthermore, excess P in soils can present competitive uptake restriction over minor, but often limiting nutrients such as iron (Fe) and zinc (Zn). Finding one fertilizer that perfectly meets your soil test recommendation is not always possible; combining different single-nutrient fertilizers (Table 3) may be the best option for your situation.

**4. Measuring the correct amount.** When working with backyard gardens, flower beds or patio boxes the amount of fertilizer needed is typically fairly small. Conversions to smaller measurements are often needed. Table 4 and 5 have useful conversions for various measurements. To take some of the guesswork out of measuring, consider investing in some simple tools that will improve accuracy. A small kitchen scale and a set of measuring cups and spoons that can be dedicated to fertilizer applications will prove useful.



## Case Study

Table 1 is a sample garden report for the most basic test offered from the USU Analytical Lab. It recommends the gardener apply 2 to 4 pounds N per 1000 square feet, 1 to 2 pounds  $P_2O_5$  per 1000 square feet, and 0 pounds  $K_2O$  per 1000 square feet and. The area to be fertilized is 200 square feet.

Calculations for each of the three nutrients follow.

$$\text{Pounds recommended per 1000 sq ft} \times \text{Square Footage}/1000 \text{ sq ft} = \text{Pounds to apply in area}$$

Nitrogen:

$$2 \text{ lbs N} \times (200 \text{ sq ft}/1000 \text{ sq ft}) = \mathbf{0.4 \text{ lbs N}}$$

$$\text{to}$$
$$4 \text{ lbs N} \times (200 \text{ sq ft}/1000 \text{ sq ft}) = \mathbf{0.8 \text{ lbs N}}$$

Phosphate:

$$1 \text{ lbs P}_2\text{O}_5 \text{ X (200 sq ft/1000 sq ft) = } \mathbf{0.2 \text{ lbs}}$$

**P<sub>2</sub>O<sub>5</sub>**

**to**

$$2 \text{ lbs P}_2\text{O}_5 \text{ X (200 sq ft/1000 sq ft) = } \mathbf{0.4 \text{ lbs P}_2\text{O}_5}$$

Potash:

$$0 \text{ lbs K}_2\text{O X (200 sq ft/1000 sq ft) = } \mathbf{0 \text{ lbs K}_2\text{O}}$$

See companion Excel workbook at

[http://digitalcommons.usu.edu/extension\\_cural/1582/](http://digitalcommons.usu.edu/extension_cural/1582/)

to enter in your exact specifications and get nutrient recommendations that fit your needs. The workbook will walk you through calculating fertilizer amounts.

Table 1. Sample soil test report from USUAL.

Soil Test Report		USU Analytical Labs	
and		Utah State University	
Fertilizer Recommendations		Logan, Utah 84322-9400	
		(435) 797-2217	
		(435) 797-2117 (FAX)	
		www.usual.usu.edu	
Date Received:	3/31/2015	Lab Number:	1501-0784
Date:	4/9/2015	Identification:	1
Name:	Ima Gardener	Crop to be Grown:	Garden
Address:	120 Flower Lane	LOGAN UT 84321	
		Grower's Comments:	Acres in Field:
		Phone:	
		County:	CACHE
Soil Test	Interpretations	Recommendations	
Texture	Loam		
pH	7.6	Normal	
Salinity - ECe	0.7	Normal	
Phosphorus - P	12.1	Low	1-2 lbs P <sub>2</sub> O <sub>5</sub> /1000 sq ft
Potassium - K	580	High	0 lbs K <sub>2</sub> O/1000 sq ft
Nitrate-Nitrogen - N mg/kg			2-4 lbs N/1000 sq ft*
Zinc - Zn			
Iron - Fe mg/kg			
Copper - Cu			
Manganese - Mn			
Sulfate-Sulfur - S			
Organic Matter			
SAR			
Note			
*SEE GARDEN GUIDE			

Table 2. Formulas for calculating square footage of variously shaped areas.

Shape	Formula
Square or rectangle	Area = Length x Width
Triangle	Area = 1/2 x Base x Height
Circle	Area = 3.14 x radius <sup>2</sup>
Ovals (5% accuracy)	Area= Length x Width at midpoint x 0.8
Irregular shapes (5% accuracy)	Measure longest axis of area (length) At every 10 ft on the length line measure the width Total all widths and multiply by 10 Area = (A + B + C + D + E) x 10

Table3. Single source fertilizers.

<b>Fertilizer</b>	<b>N-P-K</b>
Urea	46-0-0
Ammonium nitrate	34-0-0
Ammonium sulfate	21-0-0
Triple superphosphate	0-45-0
Potassium chloride	0-0-60

Table 4. Equivalents for volume measurements

<b>Gallons</b>	<b>Quarts</b>	<b>Pints</b>	<b>Fluid Ounces</b>	<b>Cups</b>	<b>Tablespoons</b>	<b>Teaspoon</b>	<b>Milliliters</b>	<b>Liters</b>
1	4	8	128	16	256	768	3785	3.785
-	1	2	32	4	64	192	946	0.946
-	-	1	16	2	32	96	473	0.473
-	-	-	1	1/8	2	6	30	0.03
-	-	-	-	1	16	48	236	0.236
-	-	-	-	-	1	3	15	0.015
-	-	-	-	-	-	1	5	0.005
-	-	-	-	-	-	-	1	0.001

Table 5. Rate of application equivalent table (dry materials)

<b>Per Acre</b>	<b>Per 1,000 sq ft</b>	<b>Per 100 sq ft</b>	<b>Per 10 sq ft</b>
1 lb	2.5 tsp	0.25 tsp	0.025 tsp
3 lbs	2.25 tbs	0.75 tsp	0.075 tsp
4 lbs	3 tbs	1 tsp	0.10 tsp
5lbs	4 tbs	1.25 tsp	0.13 tsp
10 lbs	0.4 cup	2 tsp	0.2 tsp
100 lbs	2.25 lbs	0.25 lb	2.4 tsp
200 lbs	4.66 lbs	0.5 lb	1.6 tbs
300 lbs	7 lbs	0.75 lb	2.4 tbs
400 lbs	9.25 lbs	1 lb	3.2 tbs
500 lbs	11.5 lbs	1.15 lbs	4 tbs

This project is funded in part by USDA-Risk Management Agency under a cooperative agreement. The information reflects the views of the author(s) and not USDA-RMA.

Utah State University is committed to providing an environment free from harassment and other forms of illegal discrimination based on race, color, religion, sex, national origin, age (40 and older), disability, and veteran's status. USU's policy also prohibits discrimination on the basis of sexual orientation in employment and academic related practices and decisions. Utah State University employees and students cannot, because of race, color, religion, sex, national origin, age, disability, or veteran's status, refuse to hire; discharge; promote; demote; terminate; discriminate in compensation; or discriminate regarding terms, privileges, or conditions of employment, against any person otherwise qualified. Employees and students also cannot discriminate in the classroom, residence halls, or in on/off campus, USU-sponsored events and activities. This publication is issued in furtherance of Cooperative Extension work, acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Kenneth L. White, Vice President for Extension and Agriculture, Utah State University.

